

4 LITRE INLINE FUEL SAMPLER (CLOSED CIRCUIT SAMPLER)

4 Litre inline fuel sampler is used for visual inspection of fuel.

It allows the operator to check the density and temperature of the fuel when used with the optional Hydrometer and Thermometer tubes.

It is compatible with the Shell and CASRI water detector capsules when supplied with the optional Internal Water Detector fitting or External Water Detector fitting.



Prevents capsule falling into pipeline

MAIN FEATURES

- Stainless Steel hinged lid
- Machined Aluminium lid frame
- Machined Aluminium base with white fuel resistant centre
- High Nitrile seals as standard (other seal materials can be supplied)
- Clear Borosilicate glass

New standard feature due to popular demand:

GRP 4L Samplers will be supplied as standard with the new Stainless Steel Ball with built in Water Detector Capsule catcher. The Ball & Capsule Catcher is all one solid piece, there is no risk of the capsule catcher coming loose and falling into the pipeline. This new feature comes as standard at no extra cost



4 LITRE INLINE FUEL SAMPLER (CLOSED CIRCUIT SAMPLER)



*Internal Water Detector Fitting
04L-JAR-0013*



*Hydrometer Tube
04L-JAR-0007*



*Thermometer Tube
04L-JAR-0011*



*Internal Water Detector Fitting
Whit tube
04L-JAR-0035*



*Internal Velcon
Hydrokit Fitting
04L-JAR-0018*

Can be supplied with:

- Internal Hydrometer Tube
- Internal Thermometer Tube
- Internal Water Detector Fitting
- External Water Detector Fitting
- External Hydrokit Fitting
- Spring Close Handle Ball Valve for inlet
- Stainless Support Stand
- Fabricated Pipe work and Valves to suit customer requirements

The 4 Litre Inline Fuel Sampler can be supplied with External Water Detector or Hydrokit fitting.



GENERAL INFORMATION

The External Water Detector fitting or Hydrokit Fitting is fitted to the inlet of the 4 Litre Sampler and is used taking a fuel Samples and allows the operator to check for water in the fuel.





MAIN FEATURES

- Machined Aluminium body.
- Black Delrin cap with retaining wire.
- Viton seals.
- Compatible with the standard Shell and CASRI Water Detector Capsules or Velcon Hydrokit fitting.

External WD Fitting Options

Part Number	Description
SAMP-EWD-0001B0	External Water Detector fitting BSPP
SAMP-EWD-0001N0	External Water Detector fitting NPT
External Hydrokit Fitting Options	
SAMP-HYD-0001B0	External Hydrokit fitting BSPP
SAMP-HYD-0001N0	External Hydrokit fitting NPT

4 LITRE INLINE FUEL SAMPLER (CLOSED CIRCUIT SAMPLER)



Can be supplied with:

- Spring close handle ball valve on the inlet
- Stainless support stand
- Fabricated pipework and valves to suit customer requirements.

Friol Products 4 Litre Sampler BSP

Part Number	Description
04L-JAR-0001B0	4 litre Inline sampler BSP connections
04L-JAR-0001B1	4 Litre Sampler BSP c/w Hydrometer & Thermometer tubes
04L-JAR-0001B2	4 Litre Sampler BSP c/w Hydro, Thermo tubes & Internal Water Detector fitting
04L-JAR-0001B3	4L sampler c/w Internal Hydrokit fitting
04L-JAR-0001B4	4L sampler c/w Internal Water Detector fitting
04L-JAR-0001B5	4L sampler c/w Internal Hydrokit, therm & hydr fittings
04L-JAR-0001B6	4L Sampler BSP Offshore Paint

Friol Products 4 Litre Sampler NPT

04L-JAR-0001N0	4 Litre Inline sampler NPT connections
04L-JAR-0001N1	4 Litre Sampler NPT c/w Hydrometer & Thermometer tubes
04L-JAR-0001N2	4 Litre Sampler NPT c/w Hydro, Thermo tubes & Internal Water Detector fitting
04L-JAR-0001N3	4L sampler NPT outlet cw Internal hydrokit hyd therm fittings
04L-JAR-0001N4	4L sampler NPT outlet cw Internal Water Detector fitting
04L-JAR-0001N5	4L sampler NPT outlet cw Internal Hydrokit fitting
04L-JAR-0001N6	4L Sampler NPT Offshore Paint